
Behat RST Specification Locator Extension

Apr 22, 2020

Contents

1	Guide	3
1.1	Quick start	3
1.2	Installation	4
1.3	Configuration	4
2	References	5

This is an extension for Behat which allows loading specifications from reStructuredText documentation.

1.1 Quick start

1.1.1 Install Behat

If you didn't install Behat already, then you can install it with composer in the following way:

```
$ composer require --dev behat/behat
```

For alternative installation options check the [Behat official documentation](#)

1.1.2 Install the Extension

Similarly you can install the extension via composer:

```
$ composer require --dev bex/behat-rst-specification-locator-extension
```

For more information see the *[installation section of this documentation](#)*.

1.1.3 Setup the Behat configuration

You need to enable the extension in the Behat configuration. Your `behat.yml` should look like this:

```
default:
  extensions:
    Bex\Behat\BehatRSTSpecificationLocatorExtension: ~
```

For more detailed information see the *[configuration section of this documentation](#)*.

1.2 Installation

1.2.1 Requirements

- PHP 7.1+
- Behat 3.5+

1.2.2 Using Composer

The recommended installation method is through [Composer](#):

```
$ composer require --dev bex/behat-rst-specification-locator-extension
```

1.3 Configuration

1.3.1 Enable the Extension

You can enable the extension in your `behat.yml` in following way:

```
default:  
  extensions:  
    Bex\Behat\BehatRSTSpecificationLocatorExtension: ~
```


CHAPTER 2

References

- Github Repository: <https://github.com/tkotosz/BehatRSTSpecificationLocatorExtension>
- Packagist: <https://packagist.org/packages/bex/behat-rst-specification-locator-extension>
- Behat Official Documentaion: <https://docs.behat.org>